APPIA


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com





APPIA

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com



Download Catalogue

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA

Assembly instruction index

BEDROOM

- BED:
  - PLATAFORM & HEADBOARD 4
  - USA WOOD SUPPORTS 7
  - EU WOOD SUPPORTS 8
  - LIGHT SYSTEM 9
- FEET: NIGHT STAND - DRESSER - 5/DRW. CHEST 12
- HANDLES: NIGHT STAND - DRESSER - 5/DRW. CHEST 13
- MIRROR 15
- WARDROBE:
  - ASSEMBLY 16
  - DAMPERS ASSEMBLY 24
  - HANDLES ASSEMBLY 25

DINING ROOM

- FEET: TV BASE - BUFFET - 2/D CURIO CABINET 26
- HANDLES: TV BASE - BUFFET 27
- CURIO CABINET 2/D:
  - SHELVES AND DOORS 28
  - CURIO DOORS HANDLING 30
  - HINGES ADJUSTMENT 31
- EXTENDABLE TABLE 32
- EXTENDABLE TABLE Cornelio 35

VARIOUS


- LEVELING TIPS 36
- CARE AND MAINTENACE 37
- ANTI TIPPING SYSTEM 38
- HINGES ADJUSTMENT 40
- DRAWER ADJUSTMENT 40


- **Download PRODUCT DATA SHEET**
- **Inside the TERMOCOTTO PROCESS**


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


PLATFORM & HEADBOARD


























1




2




3



4



5




A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

BEDS KS QS CAL Assembly of Wood Supports

1



2





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


BEDS 180 Assembly of Wood Supports


1













2




A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

BED LIGHT SYSTEM











1







PASS THE LED STRIP CABLE FROM THE FRONT OF THE HEADBOARD TO THE BACK, THROUGH THE SPECIAL HOLE


2





ONCE THE STRIP HAS BEEN POSITIONED, TAKING INTO ACCOUNT WHICH MUST BE THE SAME ON BOTH SIDES OF THE HEADBOARD, CUT THE STRIP TO SIZE AND PROCEED WITH FIXING IT














3





4



A

B

C

PRESA EU - EU SOCKET

PRESA UK - UK SOCKET




PRESA US- US SOCKET

UNIT LED


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


FEETS ASSEMBLY













A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

HANDLES ASSEMBLY













WARNING **POSITION OF CARDBOARD TAB FOR DRAWER OPENING**








1




2





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

MIRROR WITH WOOD SUPPORTS












1



2



3



A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


WARDROBE

45 MIN.

2

1





L



A



Ø8.5_INT25.7

B



Ø15x18

C



D




Ø3.5 x20

E



6Mx30

F



G



H




I




6M x16


1




2




3




4




5



6




7




8

9




10





11


A




B









12



13



14



DAMPERS ASSEMBLY















Positive Regulation:
Turning the screw towards the + sign, there will be an increased braking effect.
The hardware is more protruding



Negative Regulation:
Turning the screw towards the - sign, there will be an decreased braking effect.
The hardware is less protruding


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


HANDLES ASSEMBLY













1





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

FEETS ASSEMBLY






















A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


HANDLES ASSEMBLY



















A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


CABINET


























1




2





3





4







CURIO DOORS HANDLING

WARNING


How to correctly handle Curio Doors










5



6









[Hinges adjustment video]

7







A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


TABLE ASSEMBLY













1




2




Do not throw away.
Use only for base assembly.
Remove after use.


3




4




5





6



7









A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


Cornelio TABLE













1








A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

LEVELING TIPS









STOPPERS UNDER THE FEET
NOT INCLUDED

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

CARE AND MAINTENANCE


Make sure all hardware is fully tightened before use and checked regularly. If necessary, tighten it again. During assembly, be careful not to overtighten the screws.
Do not place hot items, wet cups, glasses or heavy objects directly on the surface of the furniture. Pay attention to hard or sharp edges as these could damage it. The use of placemats is recommended. If you write on a surface, use a placemat to avoid scratching it.
When lifting / transporting tables or larger objects, they must be carried by at least two people and held by the sides and / or the frame. There should be no additional loads on the furniture, and it should not be dragged across the floor as this can weaken the joints and permanently damage the furniture.
Every few months, check for loose fittings. Stop using them if any screws, bolts or nuts become loose (unscrewed).
The company assumes no responsibility for damage or injury caused by incorrectly installed furniture.

Furniture should be dusted with a soft, dry cloth. This must be done regularly. The tops can be cleaned with a soft, slightly damp cloth (water only), then dried with a soft, dry cloth.
The feet / basements should be cleaned with a damp cloth and then dried to avoid streaks. Do not use spray cleaners or polishes as they may contain abrasive substances or solvents. The furniture must be used in dry, closed environments and protected from direct sunlight.
Spilled liquids must be wiped up. This should be done immediately after the spill occurs.
These items are suitable for indoor use only.
We would like to warn you against the use of chemicals for furniture preservation which could have a negative effect on the paint layer.


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA


HARDWARE TO HELP PREVENT TIP-OVER




1 Fix the metal bracket to the back of the top panel of the furniture by tightening the screw



2 Before fixing the second metal bracket to the wall, drill a hole in the wall 60mm lower than the total height of the furniture. Then fix the second metal bracket using the screw and the dowel (which are not provided).




3 Use the cable tie to bind the two metal brackets and secure the furniture to the wall





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA

HINGES ADJUSTMENT









Hinges adjustment video

DRAWER ADJUSTMENT





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

Inside the Termocotto Process

The Termocotto treatment of tannin-rich woods, oak in this case, is carried out in an autoclave system using vacuum cycles and intermittent pressure. The process involves the application of heat above 90°C (194°F) over an extended period of at least 15 days, during which the release of ammonium crystal vapors alters the structure of the wood.

As a result, the color polymers of the veneers are modified, producing a deep and stable coloration that is not achieved through dyes but becomes an integral part of the wood grain itself. Through fuming, the natural straw-yellow tone of oak evolves into a dark havana shade with lighter streaks, unique and different in every log, creating a rich and distinctive material character.

The treatment also increases the material's elasticity and ensures excellent resistance to aging and light, with low photosensitivity and long-term color stability.



Before



After

APPIA


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com





APPIA

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com



Download Catalogue

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA

Assembly instruction index

BEDROOM

- BED:
  - PLATAFORM & HEADBOARD 4
  - USA WOOD SUPPORTS 7
  - EU WOOD SUPPORTS 8
  - LIGHT SYSTEM 9
- FEET: NIGHT STAND - DRESSER - 5/DRW. CHEST 12
- HANDLES: NIGHT STAND - DRESSER - 5/DRW. CHEST 13
- MIRROR 15
- WARDROBE:
  - ASSEMBLY 16
  - DAMPERS ASSEMBLY 24
  - HANDLES ASSEMBLY 25

DINING ROOM

- FEET: TV BASE - BUFFET - 2/D CURIO CABINET 26
- HANDLES: TV BASE - BUFFET 27
- CURIO CABINET 2/D:
  - SHELVES AND DOORS 28
  - CURIO DOORS HANDLING 30
  - HINGES ADJUSTMENT 31
- EXTENDABLE TABLE 32
- EXTENDABLE TABLE Cornelio 35

VARIOUS


- LEVELING TIPS 36
- CARE AND MAINTENACE 37
- ANTI TIPPING SYSTEM 38
- HINGES ADJUSTMENT 40
- DRAWER ADJUSTMENT 40


- **Download PRODUCT DATA SHEET**
- **Inside the TERMOCOTTO PROCESS**


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


PLATFORM & HEADBOARD


























1




2




3



4



5




A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

BEDS KS QS CAL Assembly of Wood Supports

1



2





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


BEDS 180 Assembly of Wood Supports


1













2




A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

BED LIGHT SYSTEM











1







PASS THE LED STRIP CABLE FROM THE FRONT OF THE HEADBOARD TO THE BACK, THROUGH THE SPECIAL HOLE


2





ONCE THE STRIP HAS BEEN POSITIONED, TAKING INTO ACCOUNT WHICH MUST BE THE SAME ON BOTH SIDES OF THE HEADBOARD, CUT THE STRIP TO SIZE AND PROCEED WITH FIXING IT














3





4



A

B

C

PRESA EU - EU SOCKET

PRESA UK - UK SOCKET




PRESA US- US SOCKET

UNIT LED


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


FEETS ASSEMBLY













A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

HANDLES ASSEMBLY













WARNING **POSITION OF CARDBOARD TAB FOR DRAWER OPENING**








1




2





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

MIRROR WITH WOOD SUPPORTS












1



2



3



A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


WARDROBE

45 MIN.

2

1





L



A



Ø8.5_INT25.7

B



Ø15x18

C



D




Ø3.5 x20

E



6Mx30

F



G



H




I




6M x16


1




2




3




4




5



6




7




8

9




10





11


A




B









12



13



14



DAMPERS ASSEMBLY















Positive Regulation:
Turning the screw towards the + sign, there will be an increased braking effect.
The hardware is more protruding



Negative Regulation:
Turning the screw towards the - sign, there will be an decreased braking effect.
The hardware is less protruding


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


HANDLES ASSEMBLY













1





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

FEETS ASSEMBLY






















A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


HANDLES ASSEMBLY



















A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


CABINET


























1




2





3





4







CURIO DOORS HANDLING

WARNING


How to correctly handle Curio Doors










5



6









[Hinges adjustment video]

7







A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


TABLE ASSEMBLY













1




2




Do not throw away.
Use only for base assembly.
Remove after use.


3




4




5





6



7









A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


Cornelio TABLE













1








A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

LEVELING TIPS









STOPPERS UNDER THE FEET
NOT INCLUDED

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

CARE AND MAINTENANCE


Make sure all hardware is fully tightened before use and checked regularly. If necessary, tighten it again. During assembly, be careful not to overtighten the screws.
Do not place hot items, wet cups, glasses or heavy objects directly on the surface of the furniture. Pay attention to hard or sharp edges as these could damage it. The use of placemats is recommended. If you write on a surface, use a placemat to avoid scratching it.
When lifting / transporting tables or larger objects, they must be carried by at least two people and held by the sides and / or the frame. There should be no additional loads on the furniture, and it should not be dragged across the floor as this can weaken the joints and permanently damage the furniture.
Every few months, check for loose fittings. Stop using them if any screws, bolts or nuts become loose (unscrewed).
The company assumes no responsibility for damage or injury caused by incorrectly installed furniture.

Furniture should be dusted with a soft, dry cloth. This must be done regularly. The tops can be cleaned with a soft, slightly damp cloth (water only), then dried with a soft, dry cloth.
The feet / basements should be cleaned with a damp cloth and then dried to avoid streaks. Do not use spray cleaners or polishes as they may contain abrasive substances or solvents. The furniture must be used in dry, closed environments and protected from direct sunlight.
Spilled liquids must be wiped up. This should be done immediately after the spill occurs.
These items are suitable for indoor use only.
We would like to warn you against the use of chemicals for furniture preservation which could have a negative effect on the paint layer.


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA


HARDWARE TO HELP PREVENT TIP-OVER




1 Fix the metal bracket to the back of the top panel of the furniture by tightening the screw



2 Before fixing the second metal bracket to the wall, drill a hole in the wall 60mm lower than the total height of the furniture. Then fix the second metal bracket using the screw and the dowel (which are not provided).




3 Use the cable tie to bind the two metal brackets and secure the furniture to the wall





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA

HINGES ADJUSTMENT









Hinges adjustment video

DRAWER ADJUSTMENT





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

Inside the Termocotto Process

The Termocotto treatment of tannin-rich woods, oak in this case, is carried out in an autoclave system using vacuum cycles and intermittent pressure. The process involves the application of heat above 90°C (194°F) over an extended period of at least 15 days, during which the release of ammonium crystal vapors alters the structure of the wood.

As a result, the color polymers of the veneers are modified, producing a deep and stable coloration that is not achieved through dyes but becomes an integral part of the wood grain itself. Through fuming, the natural straw-yellow tone of oak evolves into a dark havana shade with lighter streaks, unique and different in every log, creating a rich and distinctive material character.

The treatment also increases the material's elasticity and ensures excellent resistance to aging and light, with low photosensitivity and long-term color stability.



Before



After

APPIA


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com





APPIA

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com



Download Catalogue

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA

Assembly instruction index

BEDROOM

- BED:
  - PLATAFORM & HEADBOARD 4
  - USA WOOD SUPPORTS 7
  - EU WOOD SUPPORTS 8
  - LIGHT SYSTEM 9
- FEET: NIGHT STAND - DRESSER - 5/DRW. CHEST 12
- HANDLES: NIGHT STAND - DRESSER - 5/DRW. CHEST 13
- MIRROR 15
- WARDROBE:
  - ASSEMBLY 16
  - DAMPERS ASSEMBLY 24
  - HANDLES ASSEMBLY 25

DINING ROOM

- FEET: TV BASE - BUFFET - 2/D CURIO CABINET 26
- HANDLES: TV BASE - BUFFET 27
- CURIO CABINET 2/D:
  - SHELVES AND DOORS 28
  - CURIO DOORS HANDLING 30
  - HINGES ADJUSTMENT 31
- EXTENDABLE TABLE 32
- EXTENDABLE TABLE Cornelio 35

VARIOUS


- LEVELING TIPS 36
- CARE AND MAINTENACE 37
- ANTI TIPPING SYSTEM 38
- HINGES ADJUSTMENT 40
- DRAWER ADJUSTMENT 40


- **Download PRODUCT DATA SHEET**
- **Inside the TERMOCOTTO PROCESS**


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


PLATFORM & HEADBOARD


























1




2




3



4



5




A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

BEDS KS QS CAL Assembly of Wood Supports

1



2





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


BEDS 180 Assembly of Wood Supports


1













2




A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

BED LIGHT SYSTEM











1







PASS THE LED STRIP CABLE FROM THE FRONT OF THE HEADBOARD TO THE BACK, THROUGH THE SPECIAL HOLE


2





ONCE THE STRIP HAS BEEN POSITIONED, TAKING INTO ACCOUNT WHICH MUST BE THE SAME ON BOTH SIDES OF THE HEADBOARD, CUT THE STRIP TO SIZE AND PROCEED WITH FIXING IT














3





4



A

B

C

PRESA EU - EU SOCKET

PRESA UK - UK SOCKET




PRESA US- US SOCKET

UNIT LED


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


FEETS ASSEMBLY













A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

HANDLES ASSEMBLY













WARNING **POSITION OF CARDBOARD TAB FOR DRAWER OPENING**








1




2





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

MIRROR WITH WOOD SUPPORTS












1



2



3



A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


WARDROBE

45 MIN.

2

1





L



A



Ø8.5_INT25.7

B



Ø15x18

C



D




Ø3.5 x20

E



6Mx30

F



G



H




I




6M x16


1




2




3




4




5



6




7




8

9




10





11


A




B









12



13



14



DAMPERS ASSEMBLY















Positive Regulation:
Turning the screw towards the + sign, there will be an increased braking effect.
The hardware is more protruding



Negative Regulation:
Turning the screw towards the - sign, there will be an decreased braking effect.
The hardware is less protruding


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


HANDLES ASSEMBLY













1





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

FEETS ASSEMBLY






















A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


HANDLES ASSEMBLY



















A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


CABINET


























1




2





3





4







CURIO DOORS HANDLING

WARNING


How to correctly handle Curio Doors










5



6









[Hinges adjustment video]

7







A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


TABLE ASSEMBLY













1




2




Do not throw away.
Use only for base assembly.
Remove after use.


3




4




5





6



7









A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


Cornelio TABLE













1








A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

LEVELING TIPS









STOPPERS UNDER THE FEET
NOT INCLUDED

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

CARE AND MAINTENANCE


Make sure all hardware is fully tightened before use and checked regularly. If necessary, tighten it again. During assembly, be careful not to overtighten the screws.
Do not place hot items, wet cups, glasses or heavy objects directly on the surface of the furniture. Pay attention to hard or sharp edges as these could damage it. The use of placemats is recommended. If you write on a surface, use a placemat to avoid scratching it.
When lifting / transporting tables or larger objects, they must be carried by at least two people and held by the sides and / or the frame. There should be no additional loads on the furniture, and it should not be dragged across the floor as this can weaken the joints and permanently damage the furniture.
Every few months, check for loose fittings. Stop using them if any screws, bolts or nuts become loose (unscrewed).
The company assumes no responsibility for damage or injury caused by incorrectly installed furniture.

Furniture should be dusted with a soft, dry cloth. This must be done regularly. The tops can be cleaned with a soft, slightly damp cloth (water only), then dried with a soft, dry cloth.
The feet / basements should be cleaned with a damp cloth and then dried to avoid streaks. Do not use spray cleaners or polishes as they may contain abrasive substances or solvents. The furniture must be used in dry, closed environments and protected from direct sunlight.
Spilled liquids must be wiped up. This should be done immediately after the spill occurs.
These items are suitable for indoor use only.
We would like to warn you against the use of chemicals for furniture preservation which could have a negative effect on the paint layer.


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA


HARDWARE TO HELP PREVENT TIP-OVER




1 Fix the metal bracket to the back of the top panel of the furniture by tightening the screw



2 Before fixing the second metal bracket to the wall, drill a hole in the wall 60mm lower than the total height of the furniture. Then fix the second metal bracket using the screw and the dowel (which are not provided).




3 Use the cable tie to bind the two metal brackets and secure the furniture to the wall





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA

HINGES ADJUSTMENT









Hinges adjustment video

DRAWER ADJUSTMENT





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

Inside the Termocotto Process

The Termocotto treatment of tannin-rich woods, oak in this case, is carried out in an autoclave system using vacuum cycles and intermittent pressure. The process involves the application of heat above 90°C (194°F) over an extended period of at least 15 days, during which the release of ammonium crystal vapors alters the structure of the wood.

As a result, the color polymers of the veneers are modified, producing a deep and stable coloration that is not achieved through dyes but becomes an integral part of the wood grain itself. Through fuming, the natural straw-yellow tone of oak evolves into a dark havana shade with lighter streaks, unique and different in every log, creating a rich and distinctive material character.

The treatment also increases the material's elasticity and ensures excellent resistance to aging and light, with low photosensitivity and long-term color stability.



Before



After

APPIA


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com





APPIA

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com



Download Catalogue

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA

Assembly instruction index

BEDROOM

- BED:
  - PLATAFORM & HEADBOARD 4
  - USA WOOD SUPPORTS 7
  - EU WOOD SUPPORTS 8
  - LIGHT SYSTEM 9
- FEET: NIGHT STAND - DRESSER - 5/DRW. CHEST 12
- HANDLES: NIGHT STAND - DRESSER - 5/DRW. CHEST 13
- MIRROR 15
- WARDROBE:
  - ASSEMBLY 16
  - DAMPERS ASSEMBLY 24
  - HANDLES ASSEMBLY 25

DINING ROOM

- FEET: TV BASE - BUFFET - 2/D CURIO CABINET 26
- HANDLES: TV BASE - BUFFET 27
- CURIO CABINET 2/D:
  - SHELVES AND DOORS 28
  - CURIO DOORS HANDLING 30
  - HINGES ADJUSTMENT 31
- EXTENDABLE TABLE 32
- EXTENDABLE TABLE Cornelio 35

VARIOUS


- LEVELING TIPS 36
- CARE AND MAINTENACE 37
- ANTI TIPPING SYSTEM 38
- HINGES ADJUSTMENT 40
- DRAWER ADJUSTMENT 40


- **Download PRODUCT DATA SHEET**
- **Inside the TERMOCOTTO PROCESS**


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


PLATFORM & HEADBOARD


























1




2




3



4



5




A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

BEDS KS QS CAL Assembly of Wood Supports

1



2





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


BEDS 180 Assembly of Wood Supports


1













2




A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

BED LIGHT SYSTEM











1







PASS THE LED STRIP CABLE FROM THE FRONT OF THE HEADBOARD TO THE BACK, THROUGH THE SPECIAL HOLE


2





ONCE THE STRIP HAS BEEN POSITIONED, TAKING INTO ACCOUNT WHICH MUST BE THE SAME ON BOTH SIDES OF THE HEADBOARD, CUT THE STRIP TO SIZE AND PROCEED WITH FIXING IT














3





4



A

B

C

PRESA EU - EU SOCKET

PRESA UK - UK SOCKET




PRESA US- US SOCKET

UNIT LED


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


FEETS ASSEMBLY













A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

HANDLES ASSEMBLY













WARNING **POSITION OF CARDBOARD TAB FOR DRAWER OPENING**








1




2





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

MIRROR WITH WOOD SUPPORTS












1



2



3



A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


WARDROBE

45 MIN.

2

1





L



A



Ø8.5_INT25.7

B



Ø15x18

C



D




Ø3.5 x20

E



6Mx30

F



G



H




I




6M x16


1




2




3




4




5



6




7




8

9




10





11


A




B









12



13



14



DAMPERS ASSEMBLY















Positive Regulation:
Turning the screw towards the + sign, there will be an increased braking effect.
The hardware is more protruding



Negative Regulation:
Turning the screw towards the - sign, there will be an decreased braking effect.
The hardware is less protruding


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


HANDLES ASSEMBLY













1





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

FEETS ASSEMBLY






















A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


HANDLES ASSEMBLY



















A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


CABINET


























1




2





3





4







CURIO DOORS HANDLING

WARNING


How to correctly handle Curio Doors










5



6









[Hinges adjustment video]

7







A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


TABLE ASSEMBLY













1




2




Do not throw away.
Use only for base assembly.
Remove after use.


3




4




5





6



7









A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA


Cornelio TABLE













1








A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com


APPIA

LEVELING TIPS









STOPPERS UNDER THE FEET
NOT INCLUDED

A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

CARE AND MAINTENANCE


Make sure all hardware is fully tightened before use and checked regularly. If necessary, tighten it again. During assembly, be careful not to overtighten the screws.
Do not place hot items, wet cups, glasses or heavy objects directly on the surface of the furniture. Pay attention to hard or sharp edges as these could damage it. The use of placemats is recommended. If you write on a surface, use a placemat to avoid scratching it.
When lifting / transporting tables or larger objects, they must be carried by at least two people and held by the sides and / or the frame. There should be no additional loads on the furniture, and it should not be dragged across the floor as this can weaken the joints and permanently damage the furniture.
Every few months, check for loose fittings. Stop using them if any screws, bolts or nuts become loose (unscrewed).
The company assumes no responsibility for damage or injury caused by incorrectly installed furniture.

Furniture should be dusted with a soft, dry cloth. This must be done regularly. The tops can be cleaned with a soft, slightly damp cloth (water only), then dried with a soft, dry cloth.
The feet / basements should be cleaned with a damp cloth and then dried to avoid streaks. Do not use spray cleaners or polishes as they may contain abrasive substances or solvents. The furniture must be used in dry, closed environments and protected from direct sunlight.
Spilled liquids must be wiped up. This should be done immediately after the spill occurs.
These items are suitable for indoor use only.
We would like to warn you against the use of chemicals for furniture preservation which could have a negative effect on the paint layer.


A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA


HARDWARE TO HELP PREVENT TIP-OVER




1 Fix the metal bracket to the back of the top panel of the furniture by tightening the screw



2 Before fixing the second metal bracket to the wall, drill a hole in the wall 60mm lower than the total height of the furniture. Then fix the second metal bracket using the screw and the dowel (which are not provided).




3 Use the cable tie to bind the two metal brackets and secure the furniture to the wall





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

APPIA

HINGES ADJUSTMENT









Hinges adjustment video

DRAWER ADJUSTMENT





A.L.F. UNO S.P.A.
VIA S. PIO X 17
31018 FRANCENIGO DI GAIARINE (TV) ITALY
TEL. +39-0438 997 111
info@alfitalia.com www.alfitalia.com

Inside the Termocotto Process

The Termocotto treatment of tannin-rich woods, oak in this case, is carried out in an autoclave system using vacuum cycles and intermittent pressure. The process involves the application of heat above 90°C (194°F) over an extended period of at least 15 days, during which the release of ammonium crystal vapors alters the structure of the wood.

As a result, the color polymers of the veneers are modified, producing a deep and stable coloration that is not achieved through dyes but becomes an integral part of the wood grain itself. Through fuming, the natural straw-yellow tone of oak evolves into a dark havana shade with lighter streaks, unique and different in every log, creating a rich and distinctive material character.

The treatment also increases the material's elasticity and ensures excellent resistance to aging and light, with low photosensitivity and long-term color stability.



Before



After